

ARGUS

STEEL PRODUCTS

INQUIRIES


11039 Leadbetter Road | Ashland, Virginia 23005

(804) 359-4840 • (800) 368-2082

Fax (804) 358-3415

sales@argussteel.com | www.argussteel.com

WIRE CLOTH • PERFORATED METAL • EXPANDED METAL • GRATING



1/2" Corrugated Load Table

Span Length

Thickness	# Spans	2' 6"	3'	3' 6"	4'	4' 6"	5'	5' 6"	6'	6' 6"	7'	7' 6"	8'
18 Ga STL.	1	150	104	76	58	46	37	31	26	22	19	16	14
	3	187	130	95	73	57	46	38	32	27	23	20	18
20 Ga STL.	1	114	79	58	44	35	28	23	19	17	14	12	-
	3	143	99	73	56	44	35	29	24	21	18	16	14
22 Ga STL.	1	130	90	66	51	40	32	27	22	19	16	14	12
	3	163	113	83	63	50	40	33	28	24	20	18	15
24 Ga STL.	1	105	73	53	41	32	26	21	18	15	13	-	-
	3	131	91	67	51	40	32	27	22	19	16	14	12
26 Ga STL.	1	79	55	40	31	24	19	16	13	-	-	-	-
	3	99	69	50	38	30	24	20	17	14	12	-	-

Stress governing, 37 ksi yield for 18, 20 Ga; 50 ksi for 22, 24 and 26 Ga