

Mesh count per inch	Wire Dia. Inches	Mesh opening Inches	Open Area %	Weight per sq.ft.		Mesh count per inch	Wire Dia. Inches	Mesh opening Inches	Open Area %	Weight per sq.ft.
1	.063	.937	87.8	.26		16	.018	.0445	50.7	.35
1	.080	.920	84.6	.41		16	.025	.0375	36.0	.69
1	.105	.895	80.1	.71		16	.028	.0345	30.5	.84
1	.120	.880	77.4	.93		16	.035	.0275	19.4	1.37
1	.135	.865	74.8	1.18		18 x 14.1	.009	.0466	70.2	.10
2	.047	.453	82.1	.28		18	.015	.0406	53.4	.27
2	.063	.437	76.4	.51		18	.017	.0386	48.3	.35
2	.080	.420	70.6	.83		20	.009	.0410	67.2	.11
2	.105	.385	62.4	1.44		20	.011	.0390	60.8	.16
2	.120	.380	57.8	1.90		20	.013	.0370	54.8	.22
3	.047	.286	73.6	.43		20	.014	.0360	51.8	.26
3	.054	.279	70.1	.57		20	.016	.0340	46.2	.34
3	.063	.270	65.6	.78		20	.018	.0320	41.0	.44
3	.080	.253	57.6	1.26		20	.023	.0270	29.2	.71
4	.032	.218	76.0	.26		22	.0077	.0380	69.7	.07
4	.035	.215	74.0	.32		22	.0135	.0320	49.6	.27
4	.047	.203	65.9	.58		24	.0075	.0342	67.2	.09
4	.063	.187	56.0	1.05		24	.010	.0317	57.8	.16
4	.080	.170	46.2	1.72		24	.013	.0287	47.4	.27
5	.032	.168	70.6	.33		24	.014	.0277	44.2	.32
5	.041	.159	63.2	.55		26	.0075	.0310	64.8	.10
5	.047	.153	58.5	.73		26	.011	.0275	51.1	.21
6	.028	.139	69.6	.31		28	.0075	.0282	62.4	.10
6	.035	.132	62.7	.48		28	.010	.0257	51.8	.19
6	.047	.120	51.8	.88		30	.0065	.0268	64.8	.10
7	.028	.115	64.8	.36		30	.010	.0233	48.9	.20
7	.035	.108	57.2	.57		30	.011	.0223	44.8	.25
8	.020	.105	70.6	.21		30	.012	.0213	40.8	.29
8	.025	.100	64.0	.33		30	.013	.0203	37.1	.35
8	.028	.097	60.2	.41		32	.0065	.0248	62.7	.10
8	.032	.093	55.4	.54		32	.009	.0223	60.9	.17
8	.035	.090	51.8	.65		35	.010	.0186	42.4	.24
8	.047	.078	38.9	1.21		35	.011	.0176	37.9	.29
8	.023	.088	62.7	.31		40	.0085	.0165	43.6	.20
9 x 9-1/2	.063	.048x.042	17.3	2.59		40	.009	.0160	41.0	.22
10	.020	.080	64.0	.26		40	.010	.0150	36.0	.28
10	.023	.077	59.3	.35		50	.0075	.0125	39.1	.19
10	.025	.075	56.3	.41		50	.0085	.0115	33.1	.25
10	.032	.068	46.2	.69		50	.009	.0110	30.3	.28
10	.035	.065	42.3	.83		60 x 40	.009	.008	27	.27
10	.047	.053	28.1	1.48		60	.0045	.0122	53.3	.06
12	.015	.068	66.6	.18		60	.0065	.0102	37.5	.17
12	.018	.065	60.8	.26		60	.0075	.0092	30.6	.24
12	.020	.063	57.2	.32		70	.0065	.0078	29.8	.21
12	.023	.060	51.8	.42		80	.0055	.0070	31.4	.17
12	.028	.055	43.6	.64		80	.007	.0055	19.4	.25
12	.032	.051	37.5	.84		100	.0045	.0055	30.3	.14
12	.035	.048	33.2	1.02		120	.0026	.0058	47.3	.05
14	.009	.062	76.4	.07		120	.0037	.0046	30.1	.10
14	.014	.057	63.7	.18		120	.0040	.0043	26.8	.13
14	.017	.054	57.2	.27		150	.0026	.0041	37.4	.07
14	.020	.051	51.0	.37		150	.0030	.0037	30.4	.09
16	.009	.0535	73.3	.09		180	.0018	.0038	46.0	.05
16	.011	.0515	67.9	.13		180	.0023	.0033	34.7	.07
16	.016	.0465	55.4	.27		200	.0021	.0029	33.6	.06